ADVERUE EXPERIENCE (AE) COVER SHEET



	(Ozteňnilals)	SIAINTÉNANCE DATA COMPLETED/CLOSED TO CENTRAL
Acualing: DM, AE, OB, JD, IG, BH, TH, 93, DK, 9	IK, JI., FM, GLM, AP, MS, AS, CY, MY, I	
ADVERSE EXPERIENCE(S) REPORTED: (FOR: CLASSIFICATION AND GROUPING)	US CASES: NOTE PRIMARY AE, NOTE AE	Redacted
.Lee previous si	Ceet	
- ,		PATIENT NAME OR INITIALS
		: M€D WATCH TRIAGE ↑ PRODUCT IDIAEGIS FILE NO.
		PRX 2001014040-2
		DATE OF RECEIPT AT 58 (PHILA)
		US PI REPORT CLASSIFICATION
FOLLOW-UP ACTIVITY PHONE CALL BY MEDICAL MONITORAUSES	AWAITING RECEIPT OF	
SITE VISIT BY MEDICAL MONITORVISCS	GF REQUESTED #XFOR	MDS REPGRY CLASSIFICATION:
LETTER - CLINICAL SAFETY L	CLOSE OUT 🗔	DISTRIBUTION DECISION
Logged to the FDA on:	<u> </u>	SIGNATURE
COMMENTS STOM BUYERS AN OLD TO DESIGN OUT	CAL PARETY BUYCY-RNAIRGS DERDOANN	
comments from physician class devius clini X! i etter u	nclaimed	
	FOLLOW-LY INFORMATI	TION TO BE REQUESTED BY CLINICAL SAFETY
SOURCE TO BE CONTACTED	FOLLOW-LY INFORMATI	I'ON TO BE REQUESTED BY CLINICAL SAFETY
SOURCE TO BE CONTACTED INFORMATION TO BE REQUESTED	FOLLOW-LY INFORMATI	I'ON TO BE REQUESTED BY CLINICAL SAFETY
•	FOLLOW-LIP INFORMATI	I'ON TO BE REQUESTED BY CLINICAL SAFETY
INFORMATION TO BE REQUESTED		TION TO BE REQUESTED BY CLINICAL SAFETY
INFORMATION TO BE REQUESTED		
INFORMATION TO BE REQUESTED	,	
INFORMATION TO BE REQUESTED TO STEED OF FOLLOWING LETTER	rt 1	12



GlaxoSmithKilne

1250 Soush Collegeville Road PO Box \$089 Collegeville, PA 19425-0989

Tal. 610 917 7000 Fax. 610 917 7707 www.gsk.com

June 13, 2001 PRX 2001014040-1 2001014040-2

Redacted

Dear Ms. Redacted

This is to acknowledge your e-mail to GlaxoSmithKline in which you reported that you were treated with Paxil[®] while pregnant. The pregnancy had to be terminated because the fetus developed Truncus arteriosis. We responded to your initial e-mail on June 6, 2001. This information has been forwarded to me.

In order to follow-up on your report, it is necessary that we have the details of your clinical course as it relates to your report. To obtain this, we need the name and address of your OB/GYN. For your convenience, I have enclosed an authorization form for you to sign and return to me.

We appreciate your cooperation. In the reply, please refer to our files numbered: 2001014040-1 and 2001014040-2, and use my mail code, UP-3410, in the mailing address.

Sincerely,

Deborah Pollak, R.N.

Assistant Clinical Safety Scientist

Enclosure

SmithKline Beecham Pharmaceuticals

olarsh Pallot P

POST MARKETING

JUL - 5 2001

RECEIVED

Authorization for Release of Records

Re: (135:15 - 5박리 - 4 고 4 - 5 : 무용되어스

I	provide to 8 information	edardina n redardina n	echam Con IV medical	poration, a d status. I u	inderstand that any	
Physician:	Name	_				
	Address			<u></u>	-	
					-	
Nurse, Pharmacist, or other Health Professional:	Mana					
			- '		-	
					_	
Hospital:	Name					
						
Date:			Signed:	(patient or	legal guardian)	_
	Relatio	nship (if legal	guardian): _		<u> </u>	_
Please Return To:			CSD.			

SB SmithKline Beecham Pharmaceuticals

U.S. Clinical Safety Mailcode: UP-3420 1250 S. Collegeville Road P.C. Box 5089 Collegeville, PA 19426-0989





Slaxo**SmithXli**ne

- 155 South Collegeville Rose.
- 470 Box 50**89**
- .1≎egeville PA P426 0989
- 12. 610 817 7000
- 5v 300 957 1707
- www.gskildomi

Redacted

The second secon

1年中国的人员的国际

",PT REQUESTED 4516 9910 L Ln

RETURN BL-710b

'line in which you reported that you were treated be terminated because the fetus developed nail on June 6, 2001. This information has been

hat we have the details of your clinical course as name and address of your OB/GYN. For your for you to sign and return to me.

refer to our files numbered: 2001014040-1 and te mailing address.

> POST MARKETING - 5 JՄL RECEIVED

> > PAR060290282



T= 1/25

SlaxoSmithKline

050 Splan Cabuge | A Fitali 10 Rox 1985 |httegewile, NA |NA28-9528

ng 1910 5 Jin 550 198, 640 910 1707 Www.dektoeni

June 13, 2001 PRX 2001014040-1 2001014040-2

Redacted

Dear Ms. Redacted

This is to acknowledge your e-mail to GlaxoSmithKline in which you reported that you were treated with Paxil® while pregnant. The pregnancy had to be terminated because the fetus developed Truncus arteriosis. We responded to your initial e-mail on June 6, 2001. This information has been forwarded to me.

In order to follow-up on your report, it is necessary that we have the details of your clinical course as it relates to your report. To obtain this, we need the name and address of your OB/GYN. For your convenience, I have enclosed an authorization form for you to sign and return to me.

We appreciate your cooperation. In the reply, please refer to our files numbered: 2001014040-1 and 2001014040-2, and use my mail code, UP-3410, in the mailing address.

Sincerely,

Deborah Pollak, R.N.

Assistant Clinical Safety Scientist

Enclosure

[®]SmithKline Beecham Pharmaceuticals

Delant Pallot IV

ADVERSE EXPERIENCE (AE) COVER SHEET

SE COMPLETEO.CLOSED TO CENTRAL	MAINTENANCE DATA COMPLÉTSOICLOSED TO CENTRALL	ala)
Accring: DM. AE. DB. JO. IG. BH, TH. AJ. DK, RK JL, FM, SLW, RP, MS, RI	MAME OF REPORTERIS	
ADVERSE EXPERIENCE/S, REPORTED LFOR US CASES: NOTE PRIMARY A		
CLASSIFICATION AND GROUPING)	Redacted	
teurcus alkriosis S	- Car	
	PATIENT NAME OF MICHALS	
	MED WATCH TRIAGE F	
	PRODUCT TOTAL EURO.	
····•	2001014 040 -2	í
· · ·	DATE OF RECEIPT AT SB (PHILA)	
	US PLASSIFICATION	
=OLLOW-UP ACTIVITY	E REMANDER EXPEDITE	
Dié éédus		
SITE VISIT BY MEDICAL MONITORUSCS LI	MOS REPORT CLASSIFICATION . SCA	
CLOSE DI	DISTRIBUTION DECISION 13	
Logged to FDA (a/13/01	SISNATURE DPOLLS	
Logged to FDA	DATE (0/13/4).	
COMMENTS FROM PHYSICIAN CLIN. DEV.JUS CL	SAFETY PHYSICIAN/USCS PERSONNEL	
<u></u>		
77		
<u>.</u>	,, <u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>	
FOLLOWIA	TON TO BE REQUESTED BY CLINICAL SAFETY	
SCURCE TO BE CONTACTED		
IMPORMATION TO BE REQUESTED		

DATES OF FOLLOW-UP LETTER 11	12	
FOLLOW-UP YELEPHONE CALLS 41	et	
COPY TO PRODUCT INFORMATION		
SÉRVICES DEPT. FOR PROCESSING OF ADDITIONAL INFORMATION	Ogato	



To: www.clinical.safety-srg

Subject: FW: Paxil Use During Pregnancy GM

```
> ----Original Message----
> From: US CRC Web Response Group Mailbox
> Sent:
           Wednesday, June 05, 2001 11:32 AM
> To: safety-srg@sbphrd.com
> Subject: FW: Paxil Use During Pregnancy GM
> Here's the newest reply from the customer. We have not responded to this
> email.
> > -----Original_Message----
                          Pedacted
> > From;
> Sent:
           Friday, June 01, 2001 10:04 PM
> > To:
          US CRC Web Response Group Mailbox
> > Subject:
                Re: Paxil Use During Pregnancy GM
> > This response is in regards to an email that I had sent you preciously.
> > was asking to see if you have any, or are in the process of any clinical
> > trials for women who are currently on Paxil and pregnant. I wanted to
> > find
> > out information to see how many women were on Paxil during pregnancy and
> they were able to succesfully have healthy babies.
> > I am in no way insinuating that your product did this to my child. I
b iove
> >
> > the product and I don't think that I could have gotten through my panic
> > attacks without the wonderful help of this miracle drug.
> > 1 just want to start to try and get pregnant again soon. I DO NOT want
> to
> > put
> my umborn child through anything that would hurt him/her.
> > Please, if you do not have information where is this information held?
> > anyone do studies like this?
> > Please any information that you may give me would be great.
                    for your help-
> >
         Redacted
```

JUN - 7 1301

 $= \frac{1}{\kappa_{\rm s}} \left(\frac{1}{\kappa_{\rm s}} \left(\frac{1}{\kappa_{\rm s}} \right) + \frac{1}{\kappa_{\rm s}} \left(\frac{1}{\kappa_{\rm s}} \right) \right)$

uscroweb@GlaxoWellcome.com on 07-Jun-2001 12:36



ww.clinical.safety-srg

To:

CC:

Subject: FW: Paxil Use During Pregnancy GM > ----Original Message----US CRC Web Response Group Mailbox > From: > Sent: Mednesday, June 06, 2001 11:32 AM > To: safety-srg@sbphrd.com > Subject: FW: Paxil Use During Pregnancy GM > Here's the newest reply from the customer. We have not responded to this > email. > > ----Original Message----> > From: Friday, June C1, 2007 10:04 PM US CRC Web Response Group Mailbox > > Sent: > > To: > > Subject: Re: Paxil Use During Pregnancy GM > > This response is in regards to an email that I had sent you preciously. > I > > was asking to see if you have any, or are in the process of any clinical > > trials for women who are currently on Paxil and pregnant. I wanted to > > find > > out information to see how many women were on Faxil during pregnancy and > > they were able to successfully have healthy babies. > > I am in no way insimuating that your product did this to my child. I > love > > the product and I don't think that I could have gotten through my panic > attacks without the wonderful help of this miracle drug. > > I just want to start to try and get pregnant again soon, I DO NOT want > to > > put > > my unborn child through anything that would hurt him/her. > > Please, if you do not have information where is this information held?

> > anyone do studies like this?
> > Please any information that you may give me would be great.

Redacted

> > Thank you again for your help-

> > Does

JUN - 7 2001



ww.clinicat.safety-srg

Subject: FW: Paxil Use During Pregnancy GM

To:

cc:

> > > >

uscrcweb@GlaxoWellcome.com on 07-Jun-2001 12:36

> ~~ • ~ Original Message----> From: US CRC Web Response Group Mailbox Wednesday, June 06, 2001 11:31 AM > To: safety-srg@sbphrd.com > Subject: FW: Paxil Use During Pregnancy GM > Importance: High > Here's the reply that was sent to the customer. > > ----Original Message----> > From: US CRC Web Response Group Mailbox Thursday, May 31, 2001 12:59 PM

Reclarica

Paxil Use During Pregnancy GM > > Sent: > > To: > > Subject: > > > Dear Ms. Redacted > > Thank you for your inquiry. > > > > We are attacking a copy of our current product information for Paxil® > > (paroxetine RCL). Please review the section on USE DURING PREGNANCY. \circ > Further questions about your treatment should be directed to the > physician, pharmacist, or healthcare provider who has the most complete > information about your medical condition. Because patient care is > > individualized, we encourage patients to direct questions about their > > medical condition and treatment to their physician. > > We believe that because your physician knows your medical history, he or > > she is best suited to answer your questions. Our Drug Information > > department is available to answer any questions your physician or > > pharmacist may have about our products. Your health care professional > call our Drug Information department at 1-888-825-5249. > > Again, thank you for your inquiry to GlaxoSmithKline. If you should > have > further questions concerning our company or our products, please feel > > to Contact our Customer Response Center at 1-888-825-5249 during our > > normal business hours, Monday through Friday, 8+00 am to 8:00 pm Eastern 1 Jan 1984 199 > > Standard Time. 5 5 . 30N - 7 200โ > > Customer Response Center > > 1-808-825-5249



uscrcweb@GiaxoWellcome.com on 07-Jun-2001 12:35

To: www.clinical.safety-srg

CC:

0

Subject: FW: Paxil Potential Adverse Event GM

```
> ----Original Message-----
            US CRC Web Response Group Mailbox
> From:
            Wednesday, June 06, 2001 11:30 AM
> Sent:
> To: safety-srg@sbphrd.com
> Subject: FW: Paxil Potential Adverse Event GM
> Importance:
> We are resending an email that came in last week, followed Ay our

    response,

> and then a new email reply from this same person.
> > -----Original Message-----
             US CRC Web Response Group Mailbox
> > From:
                                                                         \hat{\beta}\hat{0}\hat{0}\hat{c} = \hat{7} - \hat{\beta}\hat{0}\hat{c}
             Thursday, May 31, 2001 12:57 PM
> > Sent:
             'safety-srg@sbphrd.com'
 > To:
                   Paxil Potential Adverse Event GM
> Subject:
> > This e-mail was received by one of our external websites:
> > Glenna/CRC
                        Dedacted
> > Contact Name:
> > Email Address: Redacted
> > Questions/Comments: Please someone respond to me!!
> > My name is accepte I was diagnosed with Panic Disorder about 4 1/2 years
> > ago. Since that time I have been taking Pexil(which is truly a miracle
> > drug). I have been Panic free with this drug and have been able to go
> 07
> > with a normal life.
> > I was married in October of 2000. My husband and I found out that we
> were
> > pregnant at Christmas time. I was so excited, I love children. The
> cnlv
> > problem is that I carried the baby to 6 months gestation and that had to
> > have a termination. The doctor's diagnosed my son with Trunchous
> > arteriosis. They said that he would not lead a normal childhood and
> would
> > most likely not make it through the open heart surgery that he would >
> reed
> > as soon as he was delivered(if he was able to make it to that time)
> > To say the least, I was absolutley distraut with this news. I thought > > that it was something that I did. Was it because I stayed on the Paxil
> > for selfish reasons?7 I wanted to know if you could direct me to any
> > information that you might have of any woman that have taken Paxil and
> > still had healthy babies. My husband and I are ready to try again to
> get
> > pregnant in the next month or two, I am so nervous. I don't want to
> taking my miracle pill, but then again if there is a chance that this
```

> > might hurt or affect the baby I want to know upfront and I will somehow
> > stop taking it for the timebeing. Please contact me as soon as
> possible.
> > I love everything that this drug has done for me and I am so thankful
> that
> > your company had this available for me. I just want to continue to have
> a
> > normal life, and have the child that I have always wanted.
> > Please contact me as soon as possible.
> >
> > Redacted
> > ***
**Thank you in advance for your time.
> > Thank you in advance for your time.

AECENASS					
	ъ.	\neg	T-15	~	

AL GATHERING INFORMATION SYSTEM Centrally Labeled / Distributed

AECEN

		— Dist	tribution	n Assessm	ent —				
Case 2001014040 Drug PAXIL	-2 DES L			AY-2001 T lal Infor			ypRep Sü ypCen Sü		S UNEXP S UNEXP
	Decision Schedule Actual D	d Date	13-JUN-20	01 Sent Due f	to Cei or	itral	l Site 13		01
Can Mana Danash	OFF OFFITT	~*************		sessment :			T.dam + i fii	abla Da	tiont V
Cen Type Report Valid ICH Case EMEA Class					Drug	Y	Identifi Adverse Professi	Experie	nce Y
		Adv	verse Exp	periences					
	Þ		Central	Ĺ				S	O
Term	r	Code	IB MDS	EMEA Loc	$\mathtt{Ons} \epsilon$	et	Clea	ar r	c Ord
TRUNCUS ARTERIOS	SIS Y	UNC	N	\mathbf{N}	_	_		- Y	X
					***	_	_	_	
					-	-	_	_	
					-	_	-	-	
					_	_	_	_	

FRM-40400: Transaction complete -- 3 records posted and committed.

Count: *1 <OSC><DBG><List><Replace>




SMITHKLINE BEECHAM PHARM 1250 SOUTH COLLEGEVILLE ROAD PO BOX 5089 COLLEGEVILLE PA 19426-0989 US 1-800-877-7074

Page 1 of 1

Approved by FDA on 12/1/19	993	
Mir report #		
20010°	14040-2	
UF/Dist report #		

	e lam green, and a recommend	jan a ja falika tama arenagasangalika	ud a dife et tratific de 1900		300 m	Programmentaria	
A. Patient Inform	ation still tale is its action	3. Sex 4. Weight	C. Suspect Medi				
1. Patient identifier 2. Ag of t	je actime eveni:	3. Sex 4. Weight	1. Name (give labeled st #1 PAXIL	irength & mit/labe	Her, IT KNOWN)		
or _		temele lbs	SMITHKLINE BEEC	HAM			
Dation of l	te birth:	A mate or kgs	A2				
	or product problem		2. Dose, frequency & ro #1	rute used	3. Therapy	dates (if ank, give duration)	
1. 💆 Adverse event	and/or Product prob	blem (e.g. defects/malfunctions)	#2		#2		
2. Outcomes attributed t					L		
(check all that apply)	[_ dileability ⊠ congenita	lanomaly	4. Diagnosis for use #1	(Indication)		5. Event absted after use slopped or dose reduced #1 yes no dosen't	
(mades)	required in	itervention to prevent	#2			apply #2 i yes no doesn't	
3 Josepitalization - initia	al or prolonged Dotter: _	l impalrment/damage	6. LOI # (If known)	7. Exp. Date	(if known)	#2 ij yes jj no jj doesnit j #2 epply j #3. Event reappeared after	
3. Date of	4. Date of					reintroduction	
event (modephen)	This repor	t 06/13/2001	#2	#2		#\$ yes no doesn's apply	
5. Describe event or pro Report 2001014040-2 d	blem escribes the occurrence of T		9. NDC # - tor product pr		nown)	#2 yes no doesn'i	
	ited with paroxeline (Paxil) fo ad from the mother and has r theare professional.		10. Concomitant medic	al products and	d therepy dat	Bpply BS (exclude treatment of event)	
The mother's concurrent medications and medical conditions were not specified. Four and a half years ago, the mother started Paxil (dose unknown). The mother discovered she was pregnant in December 2000 while being treated with Paxil. However, she reported that at six months gestation, the pregnancy had to be terminated because the fetus was diagnosed as having Truncus arteriosis. The mother was total by the physician that the child "would not lead a normal childhood and would most likely not make it through the open heart surgery that he would need as soon as he was delivered (if he was able to make it to that time)". The mother noted, "I am in no way insinualing that this product [Paxil] did this to my child". Additional information has been requested. See report 2001014040-1 for information regarding the mother.			G. All manufacturers 1. Contact office - neme/address(smirring alle for devices) Ms. Jane A. Nieman UP 3410 SMITHKLINE GEECHAM PHARMACEUTICALS 1250 SOUTH COLLEGEVILLE ROAD COLLEGEVILLE PA 19426-0989 US 3. Report source (check all that apply) [foreign				
			!	Ofc	_	other:	
			5-day 🔀 15-day	B. Adv	uct erse event le	<u> </u>	
			10-day 🗍 perlo-düc	TRUM	ICUS ARTER	iosis	
			2 Initial Collow-up#	y			
	, including preexisting medic ancy, smoking and alcohol use, h		9. Mfr. report number 2001014040-2				
			E. Initial Reports	ASSUMENTS MERCHANISTA	1983 B. 1		
			1. Namo, address & pho		<u> </u>	in the indicate communications of the interest	
The mother's concurren specified.	t medications and medical or	onditions were not	Podoctod				
	Faderical and a second description	÷	 2. Health Professional?) i Decumation		4, Initial reporter also	
PDA Form 3500A Facsimile	Submission of a report does no admission that modest person distributor, manufacturer or pro- contributed to the event.	rel, user facility,	2. Healin Professionars			sent report to FDA yes no unk	



15-DAY ALERT REPORTS

3laxo5mith!(line

1770 S with Collegewine Fload PC Sith #280

. :4e3876e (3) .426.3989

74 - 586 6 7 7360 734 - 6 0 917 7797 1246 984 com

JUN 1 3 2001

NDA 20-031 (Paxil®)

FDA, Central Document Room 12229 Wilkins Avenue Rockville, MD 20852

Dear Sir/Madam:

Enclosed please find two copies of an initial 15-day alert report concerning a fetus whose mother had been treated with Paxil[®] therapy during pregnancy.

<u>Patient 2001014040-2</u> – Truncus arteriosis: FDA Form 3500A.

Thank you for your attention to this matter.

Sincerely,

Patridia Kauffn\ar\, M.D. Associate Director

Global Clinical Safety and Pharmacovigilance

PK:dp Enclosure



SMITHKLINE BEECHAM PHAB. 1250 SOUTH COLLEGEVILLE ROAD PO BOX 5089 COLLEGEVILLE PA 19426-0989 US 1-800-877-7074

Approved by FD/	A on 12/1/1993	
Mfr report #	2001014040-2	_
UF/Dist report #	<u> </u>	
		_

Page 1 of

THE PROPERTY OF THE PROPERTY O	<u></u>	ge i Oi i	_		
A. Patient Information 1. Patient Identifier 2. Age at lime of event:	3. Sex 4. Weight	C. Suspect Media 1. Name (give labeled st #1 PAXIL SMITHKLINE BEEC	rength & minlabe		
ar	-	. SWITHKLINE BEEC	naw.		
Date in contidence of birth:	M make or	; #2			·
B. Adverse event or product problem	kgs	2. Dose, frequency & re	ute used	3. Therapy	dates (if unk, give duration)
	blem (e.g. defects/malfunctions)	#2		₩2	· · · · · · · · · · · · · · · · · · ·
2. Outcomes attributed to adverse event {check all that apply} disability		4. Diagnosis for use	(indication)		5. Event aboled after use
	al anomaly	#1		,	stopped or dose reduced #1 _ i yes
	ntervention to prevent	42			#2 yes () no () doesn'i
hospitalization - initial or prolonged other:	nt impairment/damage	6. Lat# (it known)	7. Exp. Date 4	il known)	8, Eveni reappeared after
3. Date of 4. Cate of		, €1 ; · · · · · · · · · · · · · · · · · · ·			reintroduction
event this repo	rt 08/13/2001	#2	42	:	#1 yes no ; docsn't apply
 Describe event or problem Report 2001014040-2 describes the occurrence of I whose mother was troated with paroxetine (Paxil) t 		9. NDC # - for product p) . , roblems only (il kr	nawn)	V2] yes] no] docsn't
This report was received from the mother and has physician or other healthcare professional.		10. Concomitant medic	al products and	therapy date	es (exclude freatment of event)
The mether's concurrent medications and medical Four and a half years ago, the mother started Paxil discovered she was pregnent in December 2000 will However, she reported that at six months gestation terminated because the fetus was disgnosed as ha mother was told by the physician that the child "will childhood and would most likely not make it through the would need as soon as he was delivered (if he will thee)". The mother noted, "I am in no way instruat [Paxil] did this to my child". Additional information has been requested. See report 2001014040-1 for information regarding	(dose unknown). The mother nilo being treated with Paxil. In, the pregnancy had to be ving Truncus arteriosis. The build not lead a normal philosopphis aurgery that was able to make it to that ing that this product	GAIL-manufact 1. Contact office - nam Ma. Jane A. Nieman U SMITHKLINE BEECH 1250 SOUTH COLLEG COLLEGEVILLE	e/address(&min IP 3410 AM PHARMACE	*	1-610-917-6475 3. Hepart source (eneck all that apply)
6. Relevant tests/laboratory data including dates	·	4. Date r'evd by manuf 95/31/2091 (max) 6. If IND, protocol # 7. Type of report (check all thet apply) 5-day 15-day	(A)ND/ IND PLA pre-1 OTC	# . # 1936 Yes []yes	offiner:
		to-day periodic X Initial follow-up 		NCUS ARTER	iošiš
7. Other relevant history, including preexisting medi- le.g. allergies, tace, pregnancy, smoking and alcohol use, i	nepatic/renal dysfunctio n , etc.)	E initial Report	er = *		
The mother's concurrent medications and medical a specified.	onditions were not	Redacted	1	بال	IN 1 3 2001
Submission of a report does n admission that medical persol FDA Form 3500A distributor, manufacturer or pr Faccimite contributed to the event.	nnel, user lacitity,	2. Health Professional	7 3. Occupation	n	4. Initial reporter also sent report to FDA ि yes ि no ऒ unk